



Toll free: 877-453-4778  
 Phone: 405-324-1777  
 Fax: 405-324-1778  
[sales@firstsling.com](mailto:sales@firstsling.com)

## FULL INSPECTION ROUND SLING TECHNOLOGY®

### The Inspectable Roundslings®

U.S. Patent #7,475,926, Canadian Patent #2,614,374,  
 Australian Patent #2006259277  
 Other U.S., Canadian, and Foreign Patents Pending

### FHPZ HIGH PERFORMANCE ROUND SLINGS

#### FIRST® HIGH PERFORMANCE ROUND SLINGS

#### DESIGN FACTOR 5:1 RATED CAPACITY IN POUNDS

Code No	Vertical	Choker	90° Basket	60° Basket	45° Basket	Approximate Measurements			
						Body Diameter Inches	Connection Hardware Min. Dia. Inches	Width at Load Inches	Sling Weight Per Foot lbs
FHPZ 10	10,000	8,000	20,000	17,000	14,000	1.000	1.000	1.75	0.24
FHPZ 15	15,000	12,000	30,000	25,500	21,000	1.125	1.125	2.00	0.31
FHPZ 20	20,000	16,000	40,000	34,000	28,000	1.250	1.250	2.25	0.42
FHPZ 25	25,000	20,000	50,000	42,500	35,000	1.250	1.375	2.25	0.51
FHPZ 30	30,000	24,000	60,000	51,000	42,000	1.375	1.500	2.62	0.58
FHPZ 40	40,000	32,000	80,000	68,000	56,000	1.750	1.500	3.50	0.94
FHPZ 50	50,000	40,000	100,000	85,000	70,000	1.875	1.750	3.50	0.95
FHPZ 60	60,000	48,000	120,000	102,000	84,000	2.000	2.000	4.00	1.11
FHPZ 70	70,000	56,000	140,000	119,000	98,000	2.125	2.500	4.00	1.30
FHPZ 85	85,000	68,000	170,000	144,500	119,000	2.375	2.500	4.25	1.54
FHPZ 100	100,000	80,000	200,000	170,000	140,000	2.750	2.500	4.50	1.79
FHPZ 125	125,000	100,000	250,000	212,500	175,000	3.000	3.000	5.00	2.22
FHPZ 150	150,000	120,000	300,000	255,000	210,000	3.250	3.500	5.25	2.61
FHPZ 175	175,000	140,000	350,000	297,500	245,000	3.500	3.500	7.00	3.07
FHPZ 200	200,000	160,000	400,000	340,000	280,000	3.750	3.750	7.25	3.47
FHPZ 225	225,000	180,000	450,000	382,500	315,000	Inquire	Inquire	Inquire	4.80
FHPZ 250	250,000	200,000	500,000	425,000	350,000	Inquire	Inquire	Inquire	5.45
FHPZ 275	275,000	220,000	550,000	467,500	385,000	Inquire	Inquire	Inquire	5.95
FHPZ 300	300,000	240,000	600,000	510,000	420,000	Inquire	Inquire	Inquire	6.85

#### Warning

Do not exceed a sling's rated lifting capacity.

All users must be trained in sling selection and inspection and rigging practices.

For more information visit us at [www.firstsling.com](http://www.firstsling.com)